

# CAPACITOR

## Aluminum Electrolytic Capacitor Series

### KLS10 - CD71 (NP) Series

#### Non-Polar Standard

The polarity can be reversed standard size.  
used in circuits what polarity is reversed, such as signal coupling, etc.



Item	Characteristics																											
Size and its tolerance 	<table border="1"> <tr> <td>∅D</td> <td>5</td> <td>6</td> <td>8</td> <td>10</td> <td>12</td> <td>13</td> <td>16</td> <td>18</td> </tr> <tr> <td>F ± 0.5</td> <td>2.0</td> <td>2.5</td> <td>3.5</td> <td colspan="3">5.0</td> <td colspan="2">7.5</td> </tr> <tr> <td>d ± 0.1</td> <td colspan="3">0.5</td> <td colspan="3">0.6</td> <td colspan="2">0.8</td> </tr> </table>	∅D	5	6	8	10	12	13	16	18	F ± 0.5	2.0	2.5	3.5	5.0			7.5		d ± 0.1	0.5			0.6			0.8	
	∅D	5	6	8	10	12	13	16	18																			
	F ± 0.5	2.0	2.5	3.5	5.0			7.5																				
d ± 0.1	0.5			0.6			0.8																					
Operating Temp. Range	-40°C ~ +85°C																											
Rated Working Voltage	6.3V ~ 100V <sub>DC</sub>																											
Capacitance Range	0.47 μF ~ 10000 μF																											
Capacitance Tol.	±20%, (100Hz, 20°C)																											
Dissipation Factor tg δ	At +20°C and 100 or 120Hz, for C <sub>R</sub> > 1000 μF, tg δ add 0.02 per another 1000 μF.																											
	<table border="1"> <tr> <td>U<sub>R</sub> (V)</td> <td>6.3</td> <td>10</td> <td>16</td> <td>25</td> <td>35</td> <td>50</td> <td>63</td> <td>100</td> </tr> <tr> <td>tg δ</td> <td>0.24</td> <td>0.24</td> <td>0.22</td> <td>0.20</td> <td>0.16</td> <td>0.14</td> <td>0.12</td> <td>0.10</td> </tr> </table>	U <sub>R</sub> (V)	6.3	10	16	25	35	50	63	100	tg δ	0.24	0.24	0.22	0.20	0.16	0.14	0.12	0.10									
U <sub>R</sub> (V)	6.3	10	16	25	35	50	63	100																				
tg δ	0.24	0.24	0.22	0.20	0.16	0.14	0.12	0.10																				
Leakage Current I <sub>L</sub>	≤ 0.03 · C <sub>R</sub> · U <sub>R</sub> or 5 μA whichever is greater At +20°C, after 2 minutes application of U <sub>R</sub>																											
Load Life	At +85°C after U <sub>R</sub> applied for 1000 hours.																											
	<table border="1"> <tr> <td>ΔC</td> <td>±20% of initial measured value</td> </tr> <tr> <td>DF(tg δ)</td> <td>≤ 150% of initial specified value</td> </tr> <tr> <td>LC(I<sub>L</sub>)</td> <td>≤ initial specified value</td> </tr> </table>	ΔC	±20% of initial measured value	DF(tg δ)	≤ 150% of initial specified value	LC(I <sub>L</sub> )	≤ initial specified value																					
	ΔC	±20% of initial measured value																										
DF(tg δ)	≤ 150% of initial specified value																											
LC(I <sub>L</sub> )	≤ initial specified value																											
<table border="1"> <tr> <td>ΔC</td> <td>±20% of initial measured value</td> </tr> <tr> <td>DF(tg δ)</td> <td>≤ 150% of initial specified value</td> </tr> <tr> <td>LC(I<sub>L</sub>)</td> <td>≤ 200% of initial specified value</td> </tr> </table>	ΔC	±20% of initial measured value	DF(tg δ)	≤ 150% of initial specified value	LC(I <sub>L</sub> )	≤ 200% of initial specified value																						
ΔC	±20% of initial measured value																											
DF(tg δ)	≤ 150% of initial specified value																											
LC(I <sub>L</sub> )	≤ 200% of initial specified value																											
Shelf Life	At 85°C, after shelf for 500 hours (without voltage applied), then restored for 16 hours at room temp.																											
	<table border="1"> <tr> <td>ΔC</td> <td>±20% of initial measured value</td> </tr> <tr> <td>DF(tg δ)</td> <td>≤ 150% of initial specified value</td> </tr> <tr> <td>LC(I<sub>L</sub>)</td> <td>≤ 200% of initial specified value</td> </tr> </table>	ΔC	±20% of initial measured value	DF(tg δ)	≤ 150% of initial specified value	LC(I <sub>L</sub> )	≤ 200% of initial specified value																					
	ΔC	±20% of initial measured value																										
DF(tg δ)	≤ 150% of initial specified value																											
LC(I <sub>L</sub> )	≤ 200% of initial specified value																											
<table border="1"> <tr> <td>ΔC</td> <td>±20% of initial measured value</td> </tr> <tr> <td>DF(tg δ)</td> <td>≤ 150% of initial specified value</td> </tr> <tr> <td>LC(I<sub>L</sub>)</td> <td>≤ 200% of initial specified value</td> </tr> </table>	ΔC	±20% of initial measured value	DF(tg δ)	≤ 150% of initial specified value	LC(I <sub>L</sub> )	≤ 200% of initial specified value																						
ΔC	±20% of initial measured value																											
DF(tg δ)	≤ 150% of initial specified value																											
LC(I <sub>L</sub> )	≤ 200% of initial specified value																											

#### Case Size of Standard Products

U <sub>R</sub> (V) C <sub>R</sub> (μF)	6.3	10	16	25	35	50	63	100
0.47						5×11		5×11
1						5×11		5×11
2.2						5×11		6×12
3.3						5×11	5×11	6×12
4.7					5×11	5×11	6×12	6×12
10			5×11	5×11	5×11	6×12	6×12	8×12
22		5×11	5×11	6×12	6×12	8×12	8×12	10×16
33	5×11	5×11	5×11	6×12	8×12	8×12	10×13	13×20
47	5×11	5×11	6×12	6×12	8×12	10×13	10×16	13×20
100	6×12	6×12	8×12	8×12	10×16	10×20	13×20	16×25
220	8×12	8×12	10×13	10×16	13×20	13×25	16×25	18×36
330	8×12	10×16	10×16	13×20	13×20	16×25	16×32	
470	10×12	10×16	10×20	13×20	13×25	16×32	18×36	
1000	10×20	13×20	13×25	16×25	16×32			
2200	13×25	16×25	16×32	18×36				
3300	16×25	16×32	18×36					
4700	16×32	18×36						
6800	16×36							

Note: We can also provide the capacitors according to the customer's request.